

8725 Bollman Ave. Suite 8 • Savage, Maryland 20763 • p 240-650-9780 • f 877-340-9180 • www.DurableSlate.com
Columbus • Cincinnati • Cleveland • Indianapolis • New Orleans • Clearwater • Rockville • Baltimore • DC
MHIC License # 105029

NAME Farlington Meadows HOA	PHONE (571) 275-2124	June 19, 2020 #200520-0042
JOB LOCATION 4108-4110 33 <sup>rd</sup> St. South	Roof Repairs	BILLING ADDRESS (IF DIFFERENT) 3465 S. Utah St
CITY, STATE, ZIP CODE Arlington, VA 22206	Joseph Spytek	CITY, STATE, ZIP CODE Arlington, VA 22206

Every home improvement contract must contain a notice that gives the telephone number of MHIC and state that each contractor and subcontractor hold a Maryland Home Improvement Contractor license. Anyone can ask MHIC about a contractor or subcontractor. MHIC can be contacted at 410-230-6309.

If you are borrowing money to finance the home improvement project: This contract creates a mortgage or a lien against your property to secure payment and may cause a loss of your property if you fail to pay the amount agreed upon. You have the right to consult an attorney. You have the right to rescind this contract within 5 business days after the date you sign it by notifying the contractor in writing that you are rescinding the contract.

Home Owner's Initials:

We Propose hereby to furnish material and labor – complete in accordance with specifications below, for the sum of: See pricing below.

We hereby submit specifications and estimates for:

This property has a variegated purple slate roof on it. This is a Vermont hard vein slate and considered a high end slate roofing material for its beauty and long life cycle. This slate can last a couple hundred years with proper maintenance. However, with the age of the metal flashings, most are at the end of their life cycle. These flashings can properly be replaced with new 16 oz copper flashings by following the Slate Roof Repair, Restoration and Maintenance Guidelines as put forth by the Slate Roofing Contractors Association of North America while retaining the original roof, eliminating a the need for a full roof replacement.

The following is the recommended scopes of work at this time:

**Re-flash ridge slate:** Remove all of the slates from the ridges. \*Inspect wood deck and advise if any wood work is needed\*. Install ice and water shield over the ridge and lap the preceding course of slate. Install a new 16 oz. copper ridge cap and reinstall the slates back in the same way as original. \$16,250.00

**Re-step flash Dormer walls**: Remove the slates alongside of the dormer walls down to the roof deck. \*Inspect wood deck and advise if any wood work is needed\*. Remove enough wood siding to facilitate the proper installation of the new 16 oz. copper step flashing. Install new ice and water shield and re-install the existing slate with copper slating nails. Re-paint and caulk the wood siding as needed. Remove the apron flashing from the front of the dormer. Install ice and water shield over the slate below and up under the wood sill. Custom fabricate a new 16 oz. copper apron flashing soldered to the adjoining step-flashing, using lead free solder. \$8,200.00

**Closed valley replacement:** Remove the slates in and around the valley and the valley flashing down to the wood deck.

\*Inspect wood deck and advise if any wood work is needed\*. Install ice and water shield. Re-install the existing slate with copper slating nails along with a 16 oz. copper valley flashing interwoven on each course of slate. \$4,050.00

**Re-flash mitered hips:** Remove the slates on the hip and the hip flashing down to the wood deck. \*Inspect wood deck and advise if any wood work is needed\*. Install ice and water shield over the hip. Re-install the existing slate with copper slating nails along with a 16 oz. copper hip flashing interwoven on each course of slate. \$4,980.00

**Slate repair:** Replace any missing or broken slates on the roof with reclaimed slate of the same type, color, size and thickness to match the original slate as close as possible. We will use the center nail and bib method to properly fasten the repair slates. \$4,160.00

**Paint remaining flashings:** Scrape any loose paint from the existing flashings that are to remain in place. Re-seal as needed using Solar Seal caulk. Apply one coat of exterior grade metal paint. Color to match the existing as close as possible. \$1,200.00

**Soil pipe flashing:** Remove the surrounding slate from around the lead pipe flashing and remove the pipe flashing as well. \*Inspect wood deck and advise if any wood work is needed\*. Install ice and water shield. Custom fabricate and install a new 16 oz. copper soil pipe flashing. Re-install the existing slate with copper slating nails. \$2,236.00

Install Pro 100 snow guards. \$6,450.00
Remove any 5" gutter and 3" downspouts and replace with 6" white aluminum gutter and 4" white aluminum downspout. \$7,950.00
* Any bad or deteriorated wood work discovered in the course of the above work will be quoted at the time of discovery. No additional work will be performed without a signed change order.*
It is the owner's responsibility to remove any asbestos or lead laden material.
Work to be started on or before:, 20, and to be substantially completed on or before:,20
*You, the buyer, may cancel this transaction at any time prior to midnight of the 5 <sup>th</sup> business day after the date of the transaction. See the attached Notice of Cancellation for an explanation of this right. Buyer's acknowledgement of receipt of Notice of

ADDITIONAL TERMS AND CONDITIONS APPLICABLE TO THIS CONTRACT ON REVERSE SIDE

Note: This proposal may be withdrawn by The Durable Slate Company if not accepted within 30 days.

Balance of payment to be made as follows: To Foreman upon completion  $\Box$  To Foreman in bi-weekly draws  $\Box$  Other  $\Box$ 

We propose hereby to furnish material and labor - complete in accordance with specifications above.

Total contract amount: \$ \_\_\_\_\_1/3 Deposit Amount: \$ \_\_\_\_\_ Balance: \$

Accepted by:	
Customer Signature	
Date of Acceptance _	

Cancellation: \_\_\_\_\_Initial

## **Terms and Conditions**

Deposits: Customer understands and acknowledges that Contractor may procure materials and take other necessary actions to perform the work agreed to in this contract. Therefore, any deposit returned at the request of the Customer will be the amount of the original deposit less any job related expenses incurred by the Contractor after the deposit has been received and before the Customer's request for the deposit to be returned. These expenses may include, but are not limited to materials purchased specifically for the cancelled job and permit fees. Contractor will provide written proof of all expenses deducted from the returned deposit. Additionally, Customer acknowledges that obtaining approval of an insurance claim from a carrier involves time and expense and provides value to the Customer. Accordingly, Customer understands and agrees that is he/she cancels this contract after the insurance carrier approves the claim but before the work commences,

Defects: Customer understands that certain defects including, but not limited to, deteriorated decking or rafters, may not be discoverable until work has commenced and therefore, unless specifically included in writing, are not included within the initial scope of this contract. Customer and Contractor agree that work to address these and other such discovered defects will be bid as needed at time of discovery and, upon acceptance, this amount will be in addition to the original contract amount. Contractor is not obligated to perform any such work if Customer does not accept and agree to Contractor's bid or unless otherwise agreed by Contractor and Customer in a change order signed by both Customer and Contractor.

Payment Terms: The parties agree that Contractor will issue bi-weekly invoices for payment (also referred to herein as a "draw") to Customer. Full payment by Customer on a draw shall be due within 5 days of the date of the draw. Any draw not paid within 5 days will accrue interest at the rate of 1.5% per month or 18% annually, and will be subject to the Breach Due to Non-Payment provision below. A 11/2% per month service charge will be added to the balance of all accounts 30 days or older.

Breach Due to Non-Payment: Customer's failure to comply with any payment obligations under this contract shall constitute a material breach of this contract, and Contractor shall be entitled to all remedies and damages available to Contractor under the law. Further, in the event of such breach by Customer, Contractor shall have the right to permanently stop work and leave the project due to Customer's breach. Contractor shall be entitled to recover from Customer all attorneys' fees, expenses, and costs incurred by Contractor in connection with Contractor's attempts to collect any amounts owed to Contractor by Customer under this contract, including, but not limited to, those fees, expenses, and costs incurred as a result of litigation.

Partially Completed Jobs: Customer understands that Contractor may need to put a commenced job on hold due to circumstances beyond the control of Contractor. Such circumstances include, but are not limited to, weather, hazardous conditions, Customer's express decision and/or waiting for other contractors to complete necessary preliminary work. Customer agrees that the cost of the completed portion of the work will be billed and is payable at the time such circumstance occurs, and that Contractor shall not be responsible or liable to Customer or any third party for any losses, costs, or damages that may result from Contractor acting pursuant to this provision.

Materials: Customer understands and acknowledges that unless specifically agreed to in writing, all materials removed from the job location for the purpose of performing work, and any unused materials remaining after this job is completed are the sole property of Contractor.

Excess Costs: If at any time a home construction service provided under this contract requires extra costs above the cost specified or estimated in the contract that were reasonably unforeseen, but necessary, and the total of all extra costs to date exceeds \$5000 over the course of the entire contract, Customer has a right to an estimate of those excess costs before Contractor begins work related to those costs. Customer shall initial below his/her choice of the type of estimate the Customer requires from the Contractor.

Written estimate:	Oral Estimate:	Date:

Customer's Indemnification of Contractor: Customer has represented to Contractor that Customer has obtained the necessary permissions and/or authorizations for Contractor to perform the work set forth in this contract, and Customer acknowledges that Contractor has relied on such representations. Customer agrees to fully indemnify and hold harmless Contractor and its employees from any demand, claim, or action of any kind by any third party that may arise out of Contractor's performance under this contract, including any damages, attorneys' fees, expenses, or costs arising out of any such demand, claim, or action, except any that may arise out of the sole negligence of Contractor.

Dispute Resolution: For any disputes that arise under this contract, except for those that arise solely due to Customer's breach of the Payment provision above, the parties acknowledge and agree that no lawsuit may be filed unless and until after the dispute has been submitted to mediation through the American Arbitration Association. The mediation shall be pursuant to the American Arbitration Association's Construction Industry Rules and Mediation Procedures and shall occur in Savage, Maryland. This contract shall be governed by Maryland law and the parties acknowledge and agree that exclusive venue and forum for any lawsuit arising under this contract shall be a state or federal court located in Howard County, Maryland. Contractor shall be entitled to recover its attorneys' fees, expenses, and costs in the event Contractor prevails in any such lawsuit between the parties. A formal mediation dispute between homeowners and contractors is available through the Maryland Home Improvement Commission. The Maryland Home Improvement Commission administers the Guaranty Fund, which may compensate homeowners for certain actual losses caused by acts or omissions of licensed contractors. A homeowner may request that a contractor purchase a performance bond for additional protection against losses not covered by the Guaranty Fund. Claims against the Guaranty Fund will be stayed until completion of any mandatory arbitration.

Severability: In case any one or more of the provisions contained in this contract should be invalid, illegal, or unenforceable in any respect, such provision shall be deemed modified to the extent necessary to permit its enforcement under applicable law, and the validity, legality, or enforceability of the remaining provisions hereof shall not be affected nor impaired and shall remain in full force and effect.

General Warranty Conditions: Contractor gives the following limited warranty on all types of repair and installation. All labor and material is warranted as specified on the following page – titled *Categories of Slate Repair & Warranties*, and will be provided in a workmanlike manner according to standard practice of the trade. Contractor cannot warrant that the roof will never leak. Contractor warrants that they will repair any leaks caused by Contractor's work occurring during the term of any specific warranty. No provision of this or any other warranty shall be construed to cover damages to the building or contents thereof or to cover damages or leaks caused by circumstances including, but not limited to, the following:

- Any condition beyond the control of Contractor
- Acts of God
- Strikes or delays
- Abuse, misuse, accident, vandalism
- Installation of skylights, attachments or penetrations, unless performed by Contractor
- Defective workmanship of other trades or contractors
- Negligence in maintaining the roof
- Structural defect

All warranties are eligible to be transferred to a new owner for the remainder of the life of the original warranty. In order to qualify for a transferrable warranty, the current owner must have The Durable Slate Company out to inspect our work prior to the sale of the property. If upon inspection the work appears to have been properly maintained and unaltered, then a transfer of warranty that covers only our work, specifically indicated in writing by the Contractor will be provided. If the current owner has hired any other company to do any work on or related to the roof in the area of where our work was done, our warranty will be null and void and no transfer of warranty is permitted.

Accepted by:	
Customer Signature	
Customer Signature	
Date of Acceptance _	

## Categories of Slate Repair and Warranty Information

on hashings, valleys, guile	ors, masomy, ctc. Additional work in	nay be needed in these are	eas.
☐ <u>New Roof</u>			
Projects located within a 2	hour distance of one of our offices:	10 Years □	Customer's Initial:
Projects located more than	2 hours from one of our offices:	5 Years □	Customer's Initial:
X Complete Repair			
The bottom row should be ve No pieces of aluminum shoul Face nails should be remove Any slates with metal clips wi Wrong-width slates should be Wrong-colored slates on very Any loose ridge roll will be so	d be left in place of a slate or any part of d.  Il be re-hung, preferably with slate hooks e changed.  visible faces will be replaced, unless ot rewed down.  Ileys, and flashing areas will be repaired	ing out, no back-up slates han a slate. s or center nails. No metal clip herwise stated on the estimate	nging down, no large broken corners, etc.  Dos should be left in the roof.
Unless specifically stated on	the estimate, the following is <b><u>not</u></b> covere	d on a complete repair:	
Occasionally, a slate roof car	found usually on houses in rural areas) the stained due to a rust streak or some nailed through them on the first row of sl	other reason. These slates v	vill not be replaced unless specified.
Warranty: 1 year			Customer's Initial:
Basic Repair			
			maintenance as specified on the contract.
•	the estimate, the following is <u><b>not</b></u> covere	·	
Slates that are slightly off colors slates that are held with a <i>sn</i> Large areas of caulked or tar			ghtly the wrong size n corners that will not cause a leak
Warranty:			Customer's Initial:
Minimum Repair On a minimum repair, only m potential leaks, as specified of		slates will be repaired. This	also includes fixing a specific leak only, or the worst of the
Unless specifically stated on	the estimate, the following is <b>not</b> covere	d on a minimum repair:	
Metal clips will not be remove Slates that are the wrong size Caulked or tarred slates will r		Slates that are the wrong co Face-nailed slates will not b	
Warranty:			Customer's Initial:
Warranty:  ☐ Specific Area Repair			Customer's Initial:
☐ Specific Area Repair	ecified on the contract will be worked on.		Customer's Initial:
☐ Specific Area Repair	ecified on the contract will be worked on.    Warranty		Customer's Initial:
☐ Specific Area Repair  Only the specific area, as specific area,	■ Warranty  Repellant chimney leaks, and it is not always possi	ble to identify the specific reas which are <i>not</i> obvious and wi solved, however each step tak	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. ten to repair a leaking chimney will be warrantied as to
□ Specific Area Repair Only the specific area, as specific Area Repair No Warranty □ Chimney Leaks & Water There are many reasons for or reason for a leak, there can a Because of this we do not off materials and workmanship.  - Poor joint between the mass - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnace.	■ Warranty  Repellant chimney leaks, and it is not always possible be factors that contribute to the leak for any guarantee that the leak will be restricted for the following are the most common reasonry and counterflashing (the part of the labove or adjacent to the chimney	ble to identify the specific reas which are <b>not</b> obvious and wisolved, however each step takens for leaks around chimney flashing that is cut into the ma - Faults in the cro - Gaps between - Missi - Ice dare vented through the chimne	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. then to repair a leaking chimney will be warrantied as to vis:  asonry joint) bown of the chimney the flue liner and the chimney amming
□ Specific Area Repair Only the specific area, as specific Area Repair No Warranty □ Chimney Leaks & Water There are many reasons for or reason for a leak, there can a Because of this we do not off materials and workmanship.  - Poor joint between the mass - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnace.	Repellant chimney leaks, and it is not always possible to be factors that contribute to the leak for any guarantee that the leak will be resonance to the following are the most common reasonance and counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which a	ble to identify the specific reas which are <b>not</b> obvious and wisolved, however each step takens for leaks around chimney flashing that is cut into the ma - Faults in the cro - Gaps between - Missi - Ice dare vented through the chimne	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. then to repair a leaking chimney will be warrantied as to vis:  asonry joint) bown of the chimney the flue liner and the chimney amming
□ Specific Area Repair Only the specific area, as specific Area Repair ■ No Warranty □ Chimney Leaks & Water There are many reasons for a reason for a leak, there can a secause of this we do not off materials and workmanship.  - Poor joint between the mass - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnacy - Capillary action (the tendenty)	Repellant chimney leaks, and it is not always possible to be factors that contribute to the leak for any guarantee that the leak will be resonance to the following are the most common reasonance and counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which a	ble to identify the specific reas which are <b>not</b> obvious and wisolved, however each step takens for leaks around chimney flashing that is cut into the ma - Faults in the cro - Gaps between - Missi - Ice dare vented through the chimne	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. ten to repair a leaking chimney will be warrantied as to see asonry joint)  sown of the chimney the flue liner and the chimney ng mortar amming
□ Specific Area Repair Only the specific area, as specific Area Repair  □ No Warranty □ Chimney Leaks & Water There are many reasons for or reason for a leak, there can a Because of this we do not off materials and workmanship.  - Poor joint between the mass - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnacy - Capillary action (the tendent No Warranty	Repellant Chimney leaks, and it is not always possible to be factors that contribute to the leak for any guarantee that the leak will be restricted for the following are the most common reast conry and counterflashing (the part of the labove or adjacent to the chimney gutter se, hot water tank, vent pipe, etc. which acts of a liquid to adhere to a solid surface	ble to identify the specific reas which are <b>not</b> obvious and wisolved, however each step takens for leaks around chimney flashing that is cut into the ma - Faults in the cro - Gaps between - Missi - Ice dare vented through the chimne	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. It is necessary to repair a leaking chimney will be warrantied as to reseasonry joint)  bown of the chimney the flue liner and the chimney ng mortar amming by  Customer's Initial:
□ Specific Area Repair Only the specific area, as specific Area Repair No Warranty □ Chimney Leaks & Water There are many reasons for or reason for a leak, there can a Because of this we do not off materials and workmanship.  - Poor joint between the mass - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnacy - Capillary action (the tendent No Warranty □ Tile Roofs □ Complete Pick up and Recognition of the specific s	Repellant Chimney leaks, and it is not always possible to be factors that contribute to the leak for any guarantee that the leak will be restricted for the following are the most common reast conry and counterflashing (the part of the labove or adjacent to the chimney gutter se, hot water tank, vent pipe, etc. which acts of a liquid to adhere to a solid surface	ble to identify the specific reas which are <b>not</b> obvious and wisolved, however each step takeons for leaks around chimney flashing that is cut into the ma - Faults in the cre - Gaps between - Missi - Ice do are vented through the chimne	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. It is necessary to repair a leaking chimney will be warrantied as to reseasonry joint)  bown of the chimney the flue liner and the chimney ng mortar amming by  Customer's Initial:
□ Specific Area Repair Only the specific area, as specific Area Repair No Warranty □ Chimney Leaks & Water There are many reasons for or reason for a leak, there can a Because of this we do not off materials and workmanship.  - Poor joint between the mass - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnacy - Capillary action (the tendent No Warranty □ Tile Roofs □ Complete Pick up and Recognition of the specific s	Repellant Chimney leaks, and it is not always possible to be factors that contribute to the leak for any guarantee that the leak will be resonant to the following are the most common reasonary and counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which are cy of a liquid to adhere to a solid surface the laboratory of the liquid to adhere to a solid surface the liquid to adhere the liquid the liquid to adhere the liquid the l	ble to identify the specific reas which are <b>not</b> obvious and wisolved, however each step takeons for leaks around chimney flashing that is cut into the ma - Faults in the cre - Gaps between - Missi - Ice do are vented through the chimne	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. ten to repair a leaking chimney will be warrantied as to res:  asonry joint) bown of the chimney the flue liner and the chimney ng mortar amming by  Customer's Initial:
□ Specific Area Repair Only the specific area, as specific Area Repair No Warranty □ Chimney Leaks & Water There are many reasons for or reason for a leak, there can a Because of this we do not off materials and workmanship.  - Poor joint between the mass - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnacy - Capillary action (the tendent No Warranty □ Tile Roofs □ Complete Pick up and Research warranty of Condensation of Condensation Research Pick up and Research Pick u	Repellant Chimney leaks, and it is not always possible to be factors that contribute to the leak for any guarantee that the leak will be resonant to the following are the most common reasonary and counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which are cy of a liquid to adhere to a solid surface the laboratory of the liquid to adhere to a solid surface the liquid to adhere the liquid the liquid to adhere the liquid the l	ble to identify the specific reas which are <b>not</b> obvious and wisolved, however each step takeons for leaks around chimney flashing that is cut into the ma - Faults in the cre - Gaps between - Missi - Ice do are vented through the chimne	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. It is necessary to repair a leaking chimney will be warrantied as to reseasonry joint)  bown of the chimney the flue liner and the chimney ng mortar amming by  Customer's Initial:
□ Specific Area Repair Only the specific area, as specific Area Repair No Warranty □ Chimney Leaks & Water There are many reasons for or reason for a leak, there can a Because of this we do not off materials and workmanship.  - Poor joint between the mass - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnace - Capillary action (the tendent No Warranty □ Tile Roofs □ Complete Pick up and Research Warranty: 5-year warranty of Tile repair	Repellant Chimney leaks, and it is not always possible obe factors that contribute to the leak for any guarantee that the leak will be restricted for the following are the most common reast conry and counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which a cry of a liquid to adhere to a solid surface the labove or adjacent to the chimney seems of the liquid to adhere to a solid surface the liquid to adhere the liquid to adhere to a solid surface the liquid to adhere the liquid the liquid to adhere the liquid to adhere the liquid the liquid to adhere the liquid	ble to identify the specific reas which are <b>not</b> obvious and wisolved, however each step takeons for leaks around chimney flashing that is cut into the ma - Faults in the cre - Gaps between - Missi - Ice do are vented through the chimne	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. It is not repair a leaking chimney will be warrantied as to viscus asonry joint)  bown of the chimney the flue liner and the chimney ing mortar amming by  Customer's Initial:
□ Specific Area Repair Only the specific area, as specific Area Repair No Warranty □ Chimney Leaks & Water There are many reasons for oreason for a leak, there can a Because of this we do not off materials and workmanship.  - Poor joint between the mase - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnace - Capillary action (the tendent No Warranty □ Tile Roofs □ Complete Pick up and R Warranty: 5-year warranty of Tile repair No Warranty  X Flashing & Valley Replace	Repellant Chimney leaks, and it is not always possible obe factors that contribute to the leak for any guarantee that the leak will be restricted for the following are the most common reast conry and counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which a cry of a liquid to adhere to a solid surface the labove or adjacent to the chimney seems of the liquid to adhere to a solid surface the liquid to adhere the liquid to adhere to a solid surface the liquid to adhere the liquid the liquid to adhere the liquid to adhere the liquid the liquid to adhere the liquid	ble to identify the specific reas which are <i>not</i> obvious and wisolved, however each step takens for leaks around chimney flashing that is cut into the ma - Faults in the cro - Gaps between - Missi - Ice di are vented through the chimne	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. It is necessary a leaking chimney will be warrantied as to visc.  assonry joint)  bown of the chimney the flue liner and the chimney ing mortar amming by  Customer's Initial:
□ Specific Area Repair Only the specific area, as specific Area Repair No Warranty □ Chimney Leaks & Water There are many reasons for oreason for a leak, there can a Because of this we do not off materials and workmanship.  - Poor joint between the mase - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnace - Capillary action (the tendent No Warranty □ Tile Roofs □ Complete Pick up and R Warranty: 5-year warranty of Tile repair No Warranty  X Flashing & Valley Replace	Repellant Chimney leaks, and it is not always possibles be factors that contribute to the leak for any guarantee that the leak will be resonant to the following are the most common reasonary and counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which are on a liquid to adhere to a solid surface seement.	ble to identify the specific reas which are <i>not</i> obvious and wisolved, however each step takens for leaks around chimney flashing that is cut into the ma - Faults in the cro - Gaps between - Missi - Ice di are vented through the chimne	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. It is made as to repair a leaking chimney will be warrantied as to research to repair a leaking chimney will be warrantied as to repair a leaking chimney will be warrantied as to repair a leaking chimney will be warrantied as to repair a leaking chimney will be warrantied as to repair a leaking chimney will be warrantied as to repair a leaking chimney will be warrantied as to repair a leaking chimney will be warrantied as to repair a leaking chimney will be warrantied as to re
□ Specific Area Repair Only the specific area, as specific Area Repair No Warranty □ Chimney Leaks & Water There are many reasons for oreason for a leak, there can a Because of this we do not off materials and workmanship.  - Poor joint between the mase - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnace - Capillary action (the tendent No Warranty □ Tile Roofs □ Complete Pick up and R Warranty: 5-year warranty of Tile repair No Warranty  X Flashing & Valley Replace Warranty: 5-year warranty of Metal & Metal Roofs	Repellant Chimney leaks, and it is not always possibles be factors that contribute to the leak for any guarantee that the leak will be resonant to the following are the most common reasonary and counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which are on a liquid to adhere to a solid surface seement.	ble to identify the specific reas which are <i>not</i> obvious and wi solved, however each step take sons for leaks around chimney flashing that is cut into the ma - Faults in the cro - Gaps between - Missi - Ice do are vented through the chimne c)  cific Area Pick up and Relay on only	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. It is not repair a leaking chimney will be warrantied as to viscus assonry joint)  bown of the chimney the flue liner and the chimney amming mortar amming by  Customer's Initial:  Customer's Initial:  Customer's Initial:
□ Specific Area Repair Only the specific area, as specific Area Repair No Warranty □ Chimney Leaks & Water There are many reasons for oreason for a leak, there can a Because of this we do not off materials and workmanship.  - Poor joint between the mase - Flaws in the roofing material - Flashing problems - Very porous bricks - Problems with an adjacent of Condensation from a furnace - Capillary action (the tendent No Warranty □ Tile Roofs □ Complete Pick up and R Warranty: 5-year warranty of Tile repair No Warranty  X Flashing & Valley Replace Warranty: 5-year warranty of Metal & Metal Roofs	Repellant chimney leaks, and it is not always possible obe factors that contribute to the leak fer any guarantee that the leak will be resonance that the leak will be resonance and counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which a cry of a liquid to adhere to a solid surface see the counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which a cry of a liquid to adhere to a solid surface see the counterflashing seement on workmanship/specific area worked seement on workmanship and metal installation	ble to identify the specific reas which are <i>not</i> obvious and wi solved, however each step take sons for leaks around chimney flashing that is cut into the ma - Faults in the cro - Gaps between - Missi - Ice do are vented through the chimne c)  cific Area Pick up and Relay on only	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. It is not repair a leaking chimney will be warrantied as to viscus asonry joint)  bown of the chimney the flue liner and the chimney amming mortar amming by  Customer's Initial:  Customer's Initial:  Customer's Initial:
□ Specific Area Repair Only the specific area, as specific Area Repair Only the specific area, as specific area and spe	Repellant chimney leaks, and it is not always possible obe factors that contribute to the leak fer any guarantee that the leak will be resonance that the leak will be resonance and counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which a cry of a liquid to adhere to a solid surface see the counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which a cry of a liquid to adhere to a solid surface see the counterflashing seement on workmanship/specific area worked seement on workmanship and metal installation	ble to identify the specific reas which are <i>not</i> obvious and wi solved, however each step take sons for leaks around chimney flashing that is cut into the ma - Faults in the cro - Gaps between - Missi - Ice do are vented through the chimne c)  cific Area Pick up and Relay on only	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. It is need to repair a leaking chimney will be warrantied as to research to repair a leaking chimney will be warrantied as to research joint)  sown of the chimney the flue liner and the chimney ng mortar amming by  Customer's Initial:  Customer's Initial:  Customer's Initial:
□ Specific Area Repair Only the specific area, as specific Area Repair Only the specific area, as specific area and spe	Repellant Chimney leaks, and it is not always possible obe factors that contribute to the leak fer any guarantee that the leak will be resonance that the leak will be resonance only and counterflashing (the part of the labove or adjacent to the chimney gutter see, hot water tank, vent pipe, etc. which a cry of a liquid to adhere to a solid surface see on workmanship/specific area worked on workmanship/specific area worked see on workmanship and metal installations sek, Standing Seam Copper, Box Gutter	ble to identify the specific reas which are <i>not</i> obvious and wi solved, however each step take sons for leaks around chimney flashing that is cut into the ma - Faults in the cro - Gaps between - Missi - Ice do are vented through the chimne c)  cific Area Pick up and Relay on only	Customer's Initial:  son for the leak. Even when an estimator sees an obvious II only become clear once the obvious repair is made. It is need to repair a leaking chimney will be warrantied as to research to repair a leaking chimney will be warrantied as to research joint)  sown of the chimney the flue liner and the chimney ng mortar amming by  Customer's Initial:  Customer's Initial:  Customer's Initial:



## NOTICE OF CANCELLATION

Date of transaction:/
Customer may cancel this transaction, without any penalty or obligation, within five (5) business days from the above date or, if the owner is at least 65 years old, with in seven (7) business days from the date of the contract.
If customer cancels, any property traded in, any payments made by the customer under the contract or sale, and any negotiable instrument executed by the customer will be returned within ten (10) business days following receipt by the Contractor of customer's cancellation notice, and any security interest arising out of the transaction will be cancelled.
If customer cancels, customer must make available to the contractor at customer's residence, in substantially as good condition as when received, any goods delivered to customer under this contract or sale; or customer may if customer wishes, comply with the instructions of the contractor regarding the return shipment of the goods at the contractor's expense and risk.
If customer does make the goods available to the contractor and the contractor does not pick them up within twenty days of the date of customer's notice of cancellation, customer may retain or dispose of the goods without any further obligation. If customer fails to make the goods available to the contractor, or if customer agrees to return the goods to the contractor and fails to do so, then customer remains liable for performance of all obligations under the contract.
To cancel this transaction, mail with return receipt requested, deliver in person a signed and dated copy of this cancellation notice or any other written notice of cancellation, or send notice by facsimile transmission or electronic mail, to:
The Durable Slate Company 8725 Bollman Ave. Suite 8 Savage, Maryland 20763 p 240-650-9780 f. 877-340-9180 jwillis@durableslate.com jhowes@durableslate.com
I hereby cancel this transaction.
Date:/

Customer's signature:

\_\_\_\_\_ Check here if Owner is at least 65 years old.



Job #	Date:
Customer Name:	
	ATTACHMENT A